




PROFESSIONAL PRODUCTS



DBX PRICELIST EURO AUGUST 2011

This Pricelist Replaces All Earlier Published Pricelists

Office





Meeting House Street,
Raphoe,
Co. Donegal
Tel: 00353 (0) 74 91 45179
Fax: 00353 (0) 74 91 45499
Web: www.ror.ie







Contact Information






Brian Mc Grath
Tel: 087 2677988
Email: brian@ror.ie





Liam Reynolds
Email: liam@ror.ie







VAT CALCULATED AT 23% (AS FROM 1/1/12)








PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
ZONE PRO				
		<p>ZonePRO 640/641</p> <p>6x4 zone processor for BGM applications. 2 mic/line inputs + 4 line inputs. Advanced Feedback Suppression®, Autowarmth®, auto gain control, compression, limiting, noise gating, notch filtering, bandpass and crossover filters, parametric EQ, security lockout, wall panel control. RS-232 and Ethernet control. 641 is the same as the 640 but without front panel display. m-models have four mic/line inputs and two line inputs.</p>		
	DBX0054	ZonePRO 640/641	€1,296.00	€1,594.08
	DBX0107	ZonePRO 640M	€1,428.00	€1,756.44
	DBX0055	ZonePRO 641	€1,110.00	€1,365.30
	DBX0108	ZonePRO 641M	€1,236.00	€1,520.28
		<p>ZonePRO 1260/1261</p> <p>12x6 zone processor for commercial audio applications. 2 mic/line inputs + 8 line inputs+ S/PDIF. AFS®, Autowarmth®, auto gain control, compression, limiting, noise gating, notch filtering, bandpass and crossover filters, parametric EQ, security lockout, wall panel control. RS-232 and Ethernet control. 1261 is the same as the 1260 but without front panel display. m-models have 6 mic/line and 4 line inputs</p>		
	DBX0063	ZonePRO 1260	€1,776.00	€2,184.48
	DBX0105	ZonePRO 1260M	€1,902.00	€2,339.46
	DBX0062	ZonePRO 1261	€1,590.00	€1,955.70
	DBX0106	ZonePRO 1261M	€1,710.00	€2,103.30
SYSTEM CORE				
		<p>SC64</p> <p>Digital Matrix Processing. Chassis only. Up to 64 I/O, configurable in banks of eight. Eight I/O card slots, two High Speed Option slots. Wizard driven configuration using HiQnet System Architect™. Advanced Feedback Suppression, Ambient Noise Compensation, priority ducking, parametric equalization, delay and dynamics. Ethernet and serial control.</p>		
	DBX0078	SC64	€7,344.00	€9,033.12
		<p>SC32</p> <p>As SC64 but with a total I/O count of 32, configurable in four banks of eight.</p>		
	DBX0077	SC32	€4,680.00	€5,756.40








PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
SYSTEM CORE				
		SC-ME Optional Media Engine for delayed paging and storing files for scheduled playback.		
	DBX0075	SC-ME	€52.00	€78.96
INPUT / OUTPUT MODULES 8 channel analogue input or output modules.				
	DBX0076	SC A-8IN	€342.00	€420.66
	DBX0079	SC A-8OUT	€342.00	€420.66
ZONE CONTROLERS				
		ZC-1 Programmable remote volume control for the DriveRack 260, 220i and the ZonePro 640 and 641.		
	DBX0015	ZC-1	€84.00	€103.32
		ZC-2 Programmable volume and mute control for the DriveRack 220i, 260 and the ZonePro 640 and 641.		
	DBX0016	ZC-2	€84.00	€103.32
		ZC-3 Program selector for DriveRack 260 and 220i and source selector, page steering control or a scene selector for ZonePro.		
	DBX0017	ZC-3	€90.00	€110.70
		ZC-4 Programmable program selection via contact closures for DriveRack. Also provides source selection, page assignment or scene selection for ZonePro devices.		
	DBX0101	ZC-4	€102.00	€125.46
		ZC-6 Programmable up/down volume control for ZonePro devices.		
	DBX0059	ZC-6	€84.00	€103.32
		ZC-7 Programmable Push-to-Talk page assignment for ZonePro devices.		
	DBX0060	ZC-7	€90.00	€110.70







PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
ZONE CONTROLERS				
		ZC-8 Programmable up/down volume control and rotary source switch for ZonePro devices.		
	DBX0061	ZC-8	€90.00	€110.70
		ZC-9 Rotary source selection switch for ZonePro 1260 and 1261.		
	DBX0066	ZC-9	€90.00	€110.70
		ZC-BOB Break-out box. Provides up to 6 RJ-45 input jacks for 'home run' or parallel wiring configurations.		
	DBX0014	ZC-BOB	€126.00	€154.98
		ZC-FIRE Dedicated fire safety interface for ZonePro that allows system mute or scene selection triggered by either a relay or control voltage from the fire safety system.		
	DBX0058	ZC-FIRE	€102.00	€125.46
DRIVERACK				
		DRIVERACK 4800 4x 8 processor. 4 analogue and AES/EBU inputs, 8 outputs. Full bandpass filter, crossover and routing configurations with Bessel, Butterworth and Linkwitz-Riley filters. 31-band graphic and 9-band parametric on each input. 6-band parametric on each output. Loudspeaker cluster and driver alignment delays. DSP inserts on I/O. HiQnet networking and control. Also available with optional Jensen transformers (input only, output only or both).		
	DBX0065	DRIVERACK 4800	€4,578.00	€5,630.94
	DBX0111	DRIVERACK 4800 TI	€7,098.00	€8,730.54
	DBX0112	DRIVERACK 4800 TO	€7,098.00	€8,730.54
	DBX0110	DRIVERACK 4800 TIO	€9,042.00	€11,121.66




PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
DRIVERACK				
		<p>DRIVERACK 4820</p> <p>Specifications as per the 4800 but without the colour QVGA display and with optional dbx ZC wall panel control for remote operation.</p>		
	DBX0067	DRIVERACK 4820	€3,666.00	€4,509.18
	DBX0114	DRIVERACK 4820 TI	€6,180.00	€7,601.40
	DBX0115	DRIVERACK 4820 TO	€6,180.00	€7,601.40
	DBX0113	DRIVERACK 4820 TIO	€7,902.00	€9,719.46
		<p>DRIVERACK 260</p> <p>2-in, 6-out speaker management system with feedback elimination. 2.7s time alignment and zone delay. Graphic and parametric EQ, AutoEQ function. Crossover and routing configurations. Pink noise generator and fulltime RTA. Setup wizard with JBL and Crown tunings. RS-232 control.</p>		
	DBX0041	DRIVERACK 260	€1,146.00	€1,409.58
		<p>DRIVERACK 220i</p> <p>2-in, 2-out loudspeaker management. Advanced Feedback Suppression. Graphic and parametric EQ. Compressor, limiter, auto gain. 1.3s delay. RS-232 control with PC GUI. Wall panel control.</p>		
	DBX0031	DRIVERACK 220i	€720.00	€885.60
		<p>DRIVERACK PA+</p> <p>2-in, 6-out loudspeaker management system. Setup Wizard, Auto EQ™ Wizard with 28-band RTA. AFS™ Wizard. Stereo feedback elimination with 12 feedback notch filters. dbx 120A Sub-harmonic synthesizer. JBL® and Crown® tunings.</p>		
	DBX0069	DRIVERACK PA+	€666.00	€819.18
		<p>DRIVERACK PX</p> <p>The first processor designed for powered speakers. Auto EQ with included M2 measurement mic. Advanced feedback suppression. Sub-harmonic synth. PeakStopPlus limiting. Setup wizard with tunings for JBL and other popular powered speakers.</p>		
	DBX0074	DRIVERACK PX	€534.00	€656.82

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
DRIVERACK				
		RTA-M RTA reference microphone for DriveRack PA, PA+ and 260.		
	DBX0100	RTA-M	€114.00	€140.22
		480-M RTA reference microphone for DriveRack 4800/4820.		
	DBX0048	480-M	€84.00	€841.32
GRAPHIC EQUALISERS				
		IEQ31 Intelligent Dual 31-band Digital Graphic EQ. Advanced feedback suppression. Type V Noise Reduction. PeakStopPlus limiting. Constant Q frequency bands. ±6/15 cut/boost ranges. Input gain control. XLR, TRS and Euroblock I/O.		
	DBX0008	IEQ31	€34.00	€1,025.82
		IEQ15 Intelligent Dual 15-band Digital Graphic EQ. Advanced feedback suppression. Type V Noise Reduction. PeakStopPlus limiting. Constant Q frequency bands. ±6/15 cut/boost ranges. Input gain control. XLR, TRS and Euroblock I/O.		
	DBX0007	IEQ15	€702.00	€863.46
		2231 Dual 31-band Graphic EQ. Revolutionary Type III Noise Reduction circuit, increases S/N ratio by up to 20dB. PeakPlus limiter. Two 4-segment LED meters. Status LEDs for all settings.		
	DBX0035	2231	€702.00	€863.46
		2215 Dual 15-band Graphic EQ. Revolutionary Type III Noise Reduction circuit, increases S/N ratio by up to 20dB. PeakPlus limiter. Two 4-segment LED meters. Status LEDs for all settings.		
	DBX0032	2215	€70.00	€701.10
		2031 Single 31-band Graphic EQ. Revolutionary Type III Noise Reduction circuit, increases S/N ratio by up to 20dB. PeakPlus limiter. Two 4-segment LED meters. Status LEDs for all settings.		
	DBX0029	2031	€76.00	€708.48

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
GRAPHIC EQUALISERS				
		1231 Dual 31 band graphic EQ. $\pm 6/\pm 15$ cut/boost ranges. Balanced and unbalanced RF filtered I/O on XLR, TRS and barrier strip. Input gain control. 18dB/octave 40Hz low cut filter.		
	DBX0013	1231	€480.00	€590.40
		1215 Dual 15 band graphic EQ. $\pm 6/\pm 15$ cut/boost ranges. Balanced and unbalanced RF filtered I/O on XLR, TRS and barrier strip. Input gain control. 18dB/octave 40Hz low cut filter.		
	DBX0023	1215	€348.00	€428.04
		231S Dual 31 band Constant Q graphic EQ. $\pm 6/\pm 12$ cut/boost ranges. Balanced and unbalanced XLR and TRS I/O. Input gain control. 4-segment LED meter.		
	DBX0125	231S	€264.00	€324.72
		215S Dual 15 band Constant Q graphic EQ. $\pm 6/\pm 12$ cut/boost ranges. Balanced and unbalanced XLR and TRS I/O. Input gain control. 4-segment LED meter.		
	DBX0124	215S	€210.00	€258.30
		131S Single 31 band Constant Q graphic EQ. $\pm 6/\pm 12$ cut/boost ranges. Balanced and unbalanced XLR and TRS I/O. Input gain control. 4-segment LED meter.		
	DBX0123	131S	€210.00	€258.30
CROSSOVERS				
		223S / 223XS Stereo 2-way/mono 3-way crossover. LF summed output. x10 range switch and phase reverse on all channels. Level control on all outputs. 24db/oct filters. XL model has XLR connectors.		
	DBX0118	223S	€210.00	€258.30
	DBX0120	223XS	€40.00	€95.20
		234S / 234XS Stereo 2/3-way/mono 4-way crossover. LF summed output. x10 range switch and phase reverse on all channels. Level control on all outputs. 24db/oct filters. XL model has XLR connectors.		
	DBX0119	234S	€264.00	€324.72
	DBX0025	234XS	€318.00	€391.14

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
DYNAMICS AND MIC PREAMPS				
		266XS Dual Compressor/Gate. Smooth, musical compressor. Program-adaptive gate. Stereo link. Side chain insert. Classic dbx 'Auto' mode. Balanced XLR and TRS I/O.		
	DBX0122	266XS	€198.00	€243.54
		166XS Compressor//Limiter/Gate. Dual channel compressor/limiter/gate. Program adaptive gate. Stereo link. Side chain insert. Classic dbx 'Auto' mode. Balanced XLR and TRS I/O.		
	DBX0117	166XS	€318.00	€391.14
		160AD Single channel compressor with OverEasy or hard knee compression. Infinity+ allows for negative compression. Linkable to second unit for stereo use.		
	DBX0026	160AD	€570.00	€701.10
		1046 Quad Compressor/Limiter. Four independent channels, linkable in pairs. PeakStopPlus limiting control. OverEasy or hard knee compression. Balanced XLR and TRS I/O.		
	DBX0019	1046	€702.00	€863.46
		1066 Compressor/Limiter/Gate. Dual channel. Selectable auto or manual compression with OverEasy and hard knee modes. External sidechain. Balanced XLR and TRS I/O.		
	DBX0020	1066	€570.00	€701.10
		1074 Quad Noise Gate. Four independent channels of gating with stereo coupling mode. Independent key filtering. True RMS level detection. Balanced XLR and TRS I/O.		
	DBX0021	1074	€702.00	€863.46
		160SL Stereo Compressor. Patent-pending AutoVelocity circuit with program dependent auto and manual modes. Hard Knee/OverEasy switchable. 127dB dynamic range.		
	DBX0102	160SL	€4,518.00	€5,557.14

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
DYNAMICS AND MIC PREAMPS				
		<p style="text-align: center;">162SL</p> <p>Stereo Compressor. Super-fast manual attack and release. High-Drive Jensen transformers. Hard Knee/OverEasy switchable. Ultra low distortion compression.</p>		
	DBX0053	162SL	€ 790.00	€3,431.70
		<p style="text-align: center;">286S</p> <p>Mic Preamp/Compressor. Features OverEasy compression, de-essing, enhancing, expanding and gating. +48V phantom power and 80Hz low cut filter.</p>		
	DBX0116	286S	€ 64.00	€324.72
		<p style="text-align: center;">376</p> <p>Tube Channel Strip. Valve mic preamp with +48V. 3-band parametric EQ, compressor and de-esser. Hi-Z instrument input. AES/EBU and S/PDIF outputs with selectable output (up to 24-bit, 96kHz). Selectable dither and Wordclock input and output.</p>		
	DBX0044	376	€702.00	€863.46
		<p style="text-align: center;">386</p> <p>Dual channel Valve mic preamp with +48V, 20dB pad and phase reverse. Hi-Z instrument input. AES/EBU and S/PDIF outputs with selectable output (up to 24-bit, 96kHz). Selectable dither and Wordclock input and output.</p>		
	DBX0045	386	€702.00	€863.46
DI BOXES				
		<p style="text-align: center;">DB10</p> <p>Passive DI box. Stackable chassis with durable rubber feet. Premium switches. 3-way 0/20/40dB pad switch. Flat/filter switch. Shielded dbx transformer. Output polarity switch. Ground lift switch.</p>		
	DBX0072	DB10	€ 90.00	€110.70
		<p style="text-align: center;">DB12</p> <p>Active DI box. Specification as db10 but phantom powered. 18-48V operation. Low noise active circuitry.</p>		
	DBX0073	DB12	€114.00	€140.22

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
FEEDBACK SUPPRESSOR				
		<p style="text-align: center;">AFS224</p> <p>Feedback Suppressor. Dual channel, with 24 filters per channel. Stereo or dual operation. Live and fixed filter modes. 24 LED per channel metering. XLR and TRS I/O.</p>		
	DBX0099	AFS224	€438.00	€538.74
SUBHARMONIC PROCESSOR				
		<p style="text-align: center;">120A</p> <p>Subharmonic Processor. Individual control for two ranges of subharmonic frequencies. LF boost circuit. Subwoofer output. Built in crossover. Balanced I/O. Front panel status LEDs.</p>		
	DBX0018	120A	€264.00	€324.72
PATCHBAY				
		<p style="text-align: center;">PB48</p> <p>48-way patch bay. 48 front and 48 rear panel patch points. Can be configured for Half-Normalled or De-Normalled operation without soldering or cutting.</p>		
	DBX0010	PB48	€114.00	€140.22