

KONIG & MEYER EURO PRICELIST JULY 2010

This Pricelist Replaces All Earlier Published Pricelists

Office










Meeting House Street,
Raphoe,
Co. Donegal
Tel: 00353 (0) 74 91 45179
Fax: 00353 (0) 74 91 45499
Web: www.ror.ie








Contact Information


Brian Mc Grath
Tel: 087 2677988
Email: brian@ror.ie





Liam Reynolds
Email: liam@ror.ie







Konig & Meyer Website: www.k-m.de







PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
RUKA BUDGET STANDS				
	37075	MICROPHONE STAND Lightweight aluminium mic stand, black, stable foot construction with reinforced base and ergonomically shaped clamping lever	31.20	37.75
	37157	SPEAKER STAND Lightweight aluminium speaker stand, black, for loads up to 35kg. Height-adjustable with locking screw and safety pin.	38.7	46.83
	37175	SPEAKER STAND Lightweight aluminium speaker stands, for loads up to 35kg, height-adjustable with locking screw and safety pin.	30.19	36.53
	37720	GUITAR WALL MOUNT Screw-on type wall mount, in stylish design, black, self-adjusting support arms with high quality protective cover. fits every guitar neck.	6.88	8.32
	37770	GUITAR STAND Inexpensive guitar stand, black, extension tube with anti-twist protection. Height 630-820mm.	7.89	9.55
	37790	GUITAR STAND A-frame guitar stand with stylish design, black, for electric and acoustic guitars, simple and easy to adjust.	14.92	18.05
	37860	MUSIC STAND 3-Piece folding design, black. music desk: 425x215mm	12.04	14.57
	37885	MUSIC STAND Orchestra music stand, black with perforated music desk, 500 x 340mm. Extendable in two steps, comes in a carrying bag.	30.32	36.69
	37960	KEYBOARD STAND X-style stand, black, steel tubing. Height adjustable in 7 positions.	18.28	22.12


PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
PRO-RANGE STANDS				
DRUM				
	14025-000-01	DRUMMER'S THRONE Standard drum throne with 3-leg base is ideal for beginners. Gradual height adjustment. High quality round seat diam. 280mm is covered with black imitation leather. Double-braced legs with black finish. (Nickel)	63.38	76.69
KEYBOARD				
	14065-000-55	KEYBOARD BENCH Comfortable keyboard bench with high quality black imitation leather or wear-resistant black fabric seat, 540 x 300mm, height-adjustable, wobble-free design, collapsible for easy transport (Black/Leather)	51.64	62.48
	14065-000-81	KEYBOARD BENCH Comfortable keyboard bench with high quality black imitation leather or wear-resistant black fabric seat, 540 x 300mm, height-adjustable, wobble-free design, collapsible for easy transport (Silver/Leather)	51.64	62.48
	18940-000-78	KEYBOARD STAND Extendable X-style keyboard stand with patented quick-release push button height-adjustment mechanism. The 18940 is designed to hold two keyboards with the optional 18941 stacker, or to hold optional boom arm and music desk. Non-marring pads to protect.	52.48	63.50
	18962-071-81	KEYBOARD STAND X-style stand with additional locking positions for extremely low level usage. Quick and easy to set up and fold because of the unique height adjustment mechanism the stand always opens to the desired height and width. Tubular construction, black mat finish.	26.66	32.26
	18963-071-55	KEYBOARD STAND Sturdy double brace X-stand, securely holds large keyboards. Made from steel tubing. Because of the unique height adjustment mechanism the stand always opens to the desired height and width.	35.48	42.93
	18990-070-55	KEYBOARD STAND (RICK) Heavy-duty adjustable steel construction with double square tubular cross supports. Patented push-button quick-release mechanism for easy operation. Non-marring pads on support arms. Will accommodate second keyboard with optional stacker 18941 or boom arm.	69.25	83.79



PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
KEYBOARD (CONT:)				
	18950-000-55	<p>TABLE-STYLE KEYBOARD STAND</p> <p>Professional, heavy-duty all-purpose stand, suitable for any use. This versatile stand has many points of adjustment, including individual height-adjustment for each leg. Rubber pads on all contact points to protect instruments. Can be used with stacker</p>	152.44	184.45
	18941-000-55	<p>STACKER</p> <p>Optional stacker for 18940 and 18990, fully adjustable in height, depth and tilt to accommodate various types of instruments. All-metal construction, black powder-coated. Big non-marring pads to protect the keyboard. With new all-metal teeth locking devices</p>	52.33	63.32
	18850-000-30	<p>KEYBOARD STAND (SPIDER)</p> <p>The keyboard stand of the future from K&M. The spider is of innovative design in combination with very modern technology. Its sturdy aluminium section column rests on four aluminium tube legs, which provide the greatest possible freedom of movement.</p> <p>COLOUR: BLACK</p>	185.48	224.43
	18850-000-35	<p>KEYBOARD STAND (SPIDER)</p> <p>The keyboard stand of the future from K&M. The spider is of innovative design in combination with very modern technology. Its sturdy aluminium section column rests on four aluminium tube legs, which provide the greatest possible freedom of movement.</p> <p>COLOUR: ALUMINIUM</p>	185.48	224.43
	18852-000-55	<p>ADAPTOR FOR SPIDER</p> <p>An adaptor board with 3/8" or 5/8" threaded connection for attaching microphone booms to the spider beyboard stand.</p>	24.14	29.21
	18855-000-35	<p>SUPPORT ARM SET</p> <p>Additional support arms for keyboard stand (spider). Comes with clamp to attach the arms to the column.</p> <p>COLOUR: ALUMINIUM</p>	50.96	61.66
	18855-000-35	<p>SUPPORT ARM SET</p> <p>Additional support arms for keyboard stand (spider). Comes with clamp to attach the arms to the column.</p> <p>COLOUR: BLACK</p>	50.98	61.69







PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
GUITAR STANDS / WALL MOUNTS				
	16280-000-55	<p style="text-align: center;">GUITAR WALL MOUNT</p> <p>Our best guitar-holder. Screw-mount. Features flexible support arms for various guitar models, covered with non-marring rubber to protect the instrument</p>	10.97	13.27
	17590-000-55	<p style="text-align: center;">GUITAR STAND (WAVE 20)</p> <p>Easy-to-use guitar stand with an exceptionally light construction for electric guitars. The use of high quality corrugated plastic material ensures a very stable stand that is genuinely lightweight. The special mechanism allows a setup and folding with one flick of the hand. The support arms are lined with a soft plastic material to protect the instrument finish. The stand can be adjusted to fit various guitar sizes.</p>	10.23	12.38
	17591-000-55	<p style="text-align: center;">GUITAR STAND (WAVE 10)</p> <p>Easy-to-use guitar stand with an exceptionally light construction for acoustic guitars. The use of high quality corrugated plastic material ensures a very stable stand that is genuinely lightweight. The special mechanism allows a setup and folding with one flick of the hand. The support arms are lined with a soft plastic material to protect the instrument finish. The stand can be adjusted to fit various guitar sizes. Also suitable for french horns, cellos, banjos.</p>	10.23	12.38
	17680-000-55	<p style="text-align: center;">GUITAR STAND (MEMPHIS 10)</p> <p>The collapsible guitar stand accommodates all kinds of guitars, banjos and basses. The height can be adjusted by an easy-to-use clamping lever. The stand is equipped with a locking mechanism to prevent turning, a solid and collapsible yoke construction with an additional safety strap and special foam pads to protect the finish of the guitar. Stable foot construction with reinforced base.</p>	22.47	27.19






PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
MICROPHONE STANDS				
	23850-300-55	<p>MICROPHONE DESK ARM</p> <p>Easy running microphone desk arm with 3/8" or 5/8" thread for studios and multi-media workstations; black powder-coated. Easy to handle. The microphone arm keeps the position which you select. The included screw-on clamp (adjust-able up to 55 mm) or the additional available table flange offer a multi-purpose use. Max. load capacity 0.8 kg. 5 m microphone cable (3-pole XLR connection) is included.</p>	89.05	107.75
	26085-300-55	<p>ONE HAND MICROPHONE STAND</p> <p>With the unique »Soft-Touch« one-hand clutch the height can be adjusted with a quick squeeze to easily raise and lower the mic. Sleek, flat, cast-iron base is very stable and durable. Quality black powder coating is extremely durable.</p>	47.95	58.02
	25600-300-55	<p>MICROPHONE STAND</p> <p>High-quality microphone stand with telescopic boom arm. Die-cast base with folding legs. Unique design retains all screws and levers without tension. Patented clamping lever can be fixed in any position, for holding mic cable, etc.</p>	82.35	99.64
	25900-300-55	<p>MICROPHONE STAND</p> <p>Low-level, telescopic stand with foldable legs. Comes with 2-piece boom arm.</p>	54.18	65.56
	21060-300-55	<p>MICROPHONE STAND</p> <p>Modern update of the classic 210/2. Zinc die-cast base with long folding legs. Special height-adjustment mechanism.</p>	46.23	55.94
	21070-300-55	<p>MICROPHONE STAND</p> <p>Low-priced all-metal-stand. Consists of tubing assembly, boom arm and zinc die-cast base with long folding legs. Square swivel joint with large wing nut.</p>	39.00	47.19

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
MICROPHONE STANDS (CONT:)				
	21080-300-01	MICROPHONE STAND Consists of tubing assembly and extendable boom arm. Zinc die-cast base with long folding legs. Square swivel joint with large wing nut.	45.58	55.15
	27105-300-55	MICROPHONE STAND Inexpensive stand with professional features. Fiberglass-reinforced plastic base with foldable legs. Complete with boom arm.	32.9	39.81
	27195-300-55	MICROPHONE STAND Inexpensive stand with professional features. Fiberglass-reinforced plastic base with foldable legs. Complete with extendable boom arm.	38.27	46.31
	29375-000-55	MICROPHONE TABLE BASE Beautifully designed, compact, zinc die-cast base. 3-pin XLR connections (male/female), completely mounted, crackle-free switching, with phantom powering-pilot light, with switch (gray). Two diodes indicate the operating state (voltage / microphone ON/OFF).	111.69	135.14
	29376-000-55	MICROPHONE TABLE BASE Beautifully designed, compact, zinc die-cast base. 3-pin XLR connections (male/female), completely mounted, without pushbutton or switch.	73.29	88.68
	29377-000-55	MICROPHONE TABLE BASE Beautifully designed, compact, zinc die-cast base. 3-pin XLR connections (male/female), completely mounted, crackle-free switching, with phantom powering-pilot light, with pushbutton (black). Two diodes indicate the operating state (voltage / microphone ON/OFF).	111.69	135.14

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
MICROPHONE STANDS (CONT:)				
	25950-300-55	MICROPHONE STAND (RIEN) Extra low design for bass drums or special use. Very short and heavy legs provide maximum stability. Legs are foldable for easy transport. Comes with two-piece boom arm 21140.	50.48	61.08
	23266-300-74	TABLE MICROPHONE STAND Unique and small table mic stand with compact base. With anti-vibration felt insert for noise filtration. 3/8" thread.	21.46	25.97
	21105-000-55	COUNTER WEIGHT Used for heavy microphones. Fits all one-piece K&M boom arms with 3/8" thread connector or tube diameter 15 mm. Easy mounting.	15.93	19.28
	21021-300-55	MICROPHONE STAND Especially designed for studios and drummers. Taller and longer than most stands. Long legs fold for compact storage and easy transport.	77.49	93.76
	21090-300-01	MICROPHONE STAND A more compact version of the classic 210/2. The combination of the long-legged 201A/2 mic stand and the 211/1 telescopic boom arm. Like the 210/2, the 210/9 sets the standard for professional microphone boom stands.	57.68	69.79
	22110-300-55	TABLE FLANGE Black base and tube with 3/8" thread.	16.77	20.29
	22130-300-55	TABLE FLANGE With 3/8" hexagonal screw for vertical and lateral connection of goosenecks, etc. 4 mm cable entry hole.	15.27	18.48

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
MICROPHONE STANDS (CONT:)				
	22140-300-55	TABLE FLANGE Black flange with 3/8" hexagonal screw to connect goosenecks etc. 4 mm cable entry hole.	6.54	7.91
	23855-000-55	TABLE FLANGE Suitable for microphone arm 23850.	14.92	18.05
SPEAKER STANDS				
	21333-000-55	DISTANCE ROD Connecting rod for satellite systems. Steel tubing.	15.44	18.68
	21334-000-55	DISTANCE ROD Connecting rod for satellite systems with M20 bolt. Steel tubing.	22.15	26.80
	21336-000-55	DISTANCE ROD Connecting rod for satellite systems. With spring-loaded locking screw and safety bolt. Steel tubing	48.14	58.25
	21337-000-55	DISTANCE ROD Steel tube combination to connect satellite systems. With M20 bolt to attach connector plate 24116 for precise fit.	47.79	57.83
	21338-000-55	DISTANCE ROD WITH HAND CRANK Solid steel tubing to connect satellite systems. Height-adjustment by hand crank. Extra safety features provided by additional push-button and locking screw to avoid uncontrolled reverse motion.	125.95	152.40

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
SPEAKER STANDS (CONT:)				
	21339-000-55	DISTANCE ROD WITH HAND CRANK Same as 21338, but with thread bolt M20 for connector plate 24116 for zero backlash and absolute vertical position.	144.89	175.32
	24610-000-55	LIGHT / SPEAKER STAND High quality lighting stand for professional use. New die-cast zinc clamps and the larger aluminum leg tubing enhance safety. Height adjustment to any height is by means of a hand crank and push button system. The integrated M10 thread adaptor can be used to attach crossbars 213/9 and 21393.	284.6	344.37
	24105-000-55	MOUNTING FORK Steel tube combination for 2 speakers, for tube diameter of 35 mm. Width-adjustable from 310 to 490 mm. Slip-on bolt height of 120 mm.	46.46	56.22
	24528-000-55	REDUCER FLANGE Suitable for all K&M speaker stands, with female thread M10 and a large, comfortable handknob.	17.95	21.72
	21300-000-55	SPEAKER STAND A high quality steel speaker stand with zinc die-cast clamps for professional use. Infinitely variable height adjustment with a hand crank and push button system which prevents an uncontrolled reverse motion. There is an additional locking screw for extra safety. Extension tube diameter 35 mm, suitable for speakers and lighting crossbars with an integrated M10 thread connector.	212.81	257.50
	21302-000-55	SPEAKER STAND A high quality steel speaker stand with plastic clamps for professional use. Infinitely variable height adjustment with a hand crank and push button system which prevents an uncontrolled reverse motion. There is an additional locking screw for extra safety. Extension tube diameter 35 mm, suitable for speakers and lighting crossbars with an integrated M10 thread connector.	157.47	190.54

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
SPEAKER STANDS (CONT:)				
	21435-001-55	<p style="text-align: center;">SPEAKER STAND</p> <p>The standard speaker stand constructed from steel tubing has been significantly improved. The new legs with a tubing diameter of 35 mm and the large, fixed foot end caps guarantee stability and safety. Lasered bore holes and durable, robust plastic saddle washers improve the coefficient of friction between the legs and braces and prevent scratching of the finish. A compact clamp with a patented push-button system affords user-friendly stand height adjustment. The locking screw provides additional stability and vibration-free speaker mount. Additional features include a pull-out guard for the extension tube and an integral anti-shock component.</p>	56.00	67.76
	21436-001-55	<p style="text-align: center;">SPEAKER STAND</p> <p>The standard speaker stand constructed from aluminum has been significantly improved. The new legs with a tubing diameter of 35 mm and the large, fixed foot end caps guarantee stability and safety. Lasered bore holes and durable, robust plastic saddle washers improve the coefficient of friction between the legs and braces, and prevent scratching of the finish. A compact clamp with a patented push-button system affords user-friendly stand height adjustment. The locking screw provides additional stability and vibration-free speaker mount. Additional features include a pull-out guard for the extension tube and an integral anti-shock component.</p>	53.11	64.26
	21485-000-55	<p style="text-align: center;">SPEAKER STAND</p> <p>An absolute hit in price / performance and versatility. This 3 leg aluminium speaker stand weighs a mere 3.3kg. A handy snap closure system makes the stand easy to adjust to 5 different heights. An additional clamp screw ensures that the speaker is held securely.</p>	86.43	104.58
	21455-000-55	<p style="text-align: center;">SPEAKER STAND</p> <p>Aluminum speaker stand especially designed for low to medium height applications. Extension tube diameter 35 mm. Height-adjustable by a spring-loaded locking screw and safety bolt.</p>	103.85	125.66
	21437-000-55	<p style="text-align: center;">SPEAKER STAND</p> <p>Steel speaker stand. Height adjustment with locking screw and additional safety pin. A unique patented mandrel on the extension tube automatically straddles when the speaker is mounted and provides a firm fit for the speaker. Suitable for speakers with connector diameter of 33/39 mm.</p>	78.15	94.56

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
SPEAKER STANDS (CONT:)				
	24180-000-55	SPEAKER WALL MOUNT Two adjustable brackets 20 x 98 mm and 24 x 98 mm, tilt angle to 15°. Wall clearance 105 mm. COLOUR: BLACK	29.69	35.92
	24180-000-57	SPEAKER WALL MOUNT Two adjustable brackets 20 x 98 mm and 24 x 98 mm, tilt angle to 15°. Wall clearance 105 mm. COLOUR: WHITE	29.69	35.92
ACCESSORIES				
	18851-000-00	CARRYING CASE To store and transport keyboard stand »Spider« 18850 and »Spider Pro« 18860. Waterproof sturdy nylon fabric. Features wrap-around zipper and 2 nylon handles.	28.68	34.70
	21311-000-00	CARRYING CASE Holds two K&M speaker/light stands 213, 214/6 etc. Made from black waterproof nylon with silk-screened K&M logo. Two inside compartments with cord closure and nylon handle.	23.01	27.84
	21421-000-00	CARRYING CASE Designed to carry 2 K&M microphone stands. Made of waterproof nylon. Black with screenprinted logo. Two inside compartments with zipper and sturdy handles.	15.09	18.26
	21422-000-00	CARRYING CASE Designed to carry 2 K&M speaker/monitor stands 21420. Made of black waterproof nylon. Two inside compartments with draw-string closure and sturdy handles.	15.09	18.26
	24611-000-00	CARRYING CASE To store and transport two lighting/speaker stands 246/1. Sturdy nylon fabric, water-resistant. Two inside compartments and two parallel zip closures with large carrying straps. Black with green K&M logo.	31.69	38.34

PRODUCT	PRODUCT REF	DESCRIPTION	EURO RETAIL EX. VAT	EURO RETAIL INC. VAT
ACCESSORIES (CONT:)				
	12250-000-55	<p>MUSIC STAND LIGHT</p> <p>Classic music stand light with black light shade. Three-way tilt adjustment for precise placement. Two meter electrical cable with on-off switch and Euro-style plug. One tubular bulb included. Uses only tubular bulbs with a maximum rating of 25 watts.</p> <p>In-door use only.</p>	30.53	36.94
	23956-000-55	<p>POPKILLER</p> <p>The K&M Popkiller - a world-wide classic. For stands with diameter of up to 23 mm. Double nylon screen for superior performance. Unobtrusive black round filter frame. Non-marring locking screw prevents scratching of mic stand.</p>	25.37	30.70
	23966-000-55	<p>POPKILLER</p> <p>The large Popkiller for modern studio engineering. The large 200 mm nylon screen guarantees optimum sound filtering during studio recording. The Popkiller with flexible gooseneck can be screwed to all standard microphone stands (rod diameter max. 23 mm).</p>	26.88	32.52
	16415-000-55	<p>HARMONICA HOLDER</p> <p>For various harmonica models. Elegant harmonica holder with professional features. Fully adjustable spring-tension instrument holder. Neck frame is covered with exclusive soft rubber material for more comfort.</p>	15.27	18.48
	85050-000-55	<p>MICROPHONE CLIP</p> <p>Tapered slip-in microphone clip diameter approx. 22 mm, high quality elastic rubber.</p>	1.83	2.21
	85055-000-55	<p>MICROPHONE CLIP</p> <p>Tapered slip-in microphone clip diameter approx. 28 mm, high quality elastic rubber.</p>	1.94	2.35
	85060-000-55	<p>MICROPHONE CLIP</p> <p>Tapered slip-in microphone clip diameter approx. 34 mm, high quality elastic rubber.</p>	2.04	2.47